

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

Claim 1 (currently amended). A control system for a printing machine having at least one machine element, the control system comprising:

a central data processing unit;

an electronic machine controller connected to and controlled by said central data processing unit;

at least one controlled machine element of the printing machine connected to and controlled by said electronic machine controller;

[[a]] an internal data carrier, an input device, and an output device connected to said central data processing unit;

said internal data carrier storing at least one data file for playing back instructions associated with at least one machine

element, one machine function, and/or a functional or setting error; and

wherein the at least one data file is activatable via said central unit such that, upon activation of the file, the instructions are played back via the output device.

Claim 2 (original). The system according to claim 1, wherein said data carrier is a memory device of said central data processing unit.

Claim 3 (original). The system according to claim 1, wherein the instructions are selected from the group consisting of optical and acoustical help instructions, and said output device is selected from the group consisting of optical and acoustical output devices.

Claim 4 (original). The printing machine of claim 1, wherein the data file is selected from the group consisting of audio, video, HTML, and image files.

Claim 5 (original). The printing machine according to claim 1, wherein said output device is selected from the group consisting of screen display and speaker.

Claim 6 (original). The printing machine according to claim 1, wherein the input device is selected from the group consisting of touch-sensitive and light-sensitive input devices.

Claim 7 (original). The printing machine according to claim 1, wherein the input device is selected from the group consisting of a screen, a film, a keyboard, and a sensor.

Claim 8 (original). The printing machine according to claim 1, wherein the files are activatable before, during, and after a setting of the machine controller.

Claim 9 (original). The printing machine according to claim 1, wherein said central unit is programmed to activate a particular associated file in the event of a functional or setting error of a machine element or a machine function.

Claim 10 (original). The printing machine according to claim 1, wherein said central unit is programmed to automatically activate a particular associated file in the event of a functional or setting error of a machine element or a machine function.

Claim 11 (original). The printing machine according to claim 1, wherein said central unit is configured to recognize errors in the machine controller, to detect an error of a machine element, and to activate the particular associated file.

Claim 12 (original). The printing machine according to claim 11, wherein said central unit is configured to detect functional errors and setting errors of the machine element.

Claim 13 (currently amended). A method of controlling a printing machine having an electronic machine controller and at least one machine element connected to the controller, the method which comprises:

inputting configuration data and adjusting a setting of the machine controller;

checking the setting for errors with a central unit, and determining, with an error recognition procedure, whether an erroneous setting is present and associating the setting to a given machine function or machine element; and

if an erroneous setting is present, activating a file associated with the machine function or the machine element by

the central unit, the file being stored in an internal data carrier.

Claim 14 (original). The method according to claim 13, wherein the error recognition procedure is a software procedure in the central unit.

Claim 15 (original). The method according to claim 13, which comprises, when an erroneous setting is detected, automatically forwarding a signal to the central unit, and thereupon activating, with the central unit, the file associated with the applicable machine function or machine element.

Claim 16 (original). The method according to claim 13, which comprises forwarding with input means upon actuation a signal to the central unit; thereupon checking with the central unit a machine status for active machine functions or machine elements, and activating a respectively file associated therewith.

Claim 17 (original). The method according to claim 13, which comprises effecting an input under menu control via an input device.

Applic. No.: 09/842,956
Amdt. Dated December 29, 2004
Reply to Office action of October 1, 2004

Claim 18 (original). The method according to claim 17,
wherein the input device is a screen display.